



2020

IMMERSION BLENDERS SALAD SPINNERS DICER JUICER BLENDERS

**POWER  
DURABILITY  
VERSATILITY**





MORTAGNE - SUR - SÈVRE  
FRANCE



# Demand the best. Demand Dynamic.

**DYNAMIC** invented the commercial immersion blender in 1964 and the commercial salad spinner in 1992. In 2000 we introduced the manual dicer and in 2014 relaunched the Power Pro mobile mixer. The MiniPro immersion blender has been the #1 commercial hand mixer in the world for the last 10 years!

**DYNAMIC** designs and manufactures the widest range of commercial immersion blenders on the market and offers the best in versatility with an extensive range of accessories. All our machines and motors are designed and manufactured in our facilities in France with the best available materials to ensure strong and reliable products of the highest quality.

**DYNAMIC** is constantly innovating and improving product lines to best serve our customers' needs and continuously establish ourselves as leaders in the industry. We are dedicated to the foodservice industry and chefs all around the world.

**DYNAMIC** has all spare parts available and offers strong and responsive customer service with close follow-up to provide the best possible after-sales service.



BlendPro



PERFORMANCE BLENDER LINE  
POWER. DURABILITY. VERSATILITY.



BlendPro 1T0 Shielded blender  
1.5L - REDUCE 80% OF BLENDING NOISE

NEW 2020



## POWER PRO XS

HEAVY DUTY MOBILE MIXER  
FOR LARGE CAPACITY APPLICATIONS

Official launch at NRA  
May 16-19, 2020



NRA SHOW 2020  
THE INTERNATIONAL FOODSERVICE MARKETPLACE

"EVERYTHING YOU ALREADY  
KNOW AND LOVE – BUT SMALLER"


MINI  
MANUAL SALAD SPINNER  
WITH SEALED COVER  
1 TO 2 HEADS OF LETTUCE



MODEL #: SD MINI SC (E007)



MINI SERIES • P8-9



JUNIOR SERIES • P10-11




**LIGHTWEIGHT, EFFICIENT AND  
DEPENDABLE FOR CONTINUAL,  
CONSISTENT, EVERYDAY MIXING**

SENIOR SERIES • P12-13



**POWER AND  
VERSATILITY  
ALL IN ONE**

MASTER SERIES • P14-15



Dynacutter Bowl



HEAVY DUTY SMX SERIES • P16-17

10 GAL  
40 L

20 GAL  
75 L

30 GAL  
115 L

40 GAL  
150 L

50 GAL  
200 L

60 GAL  
225 L

75 GAL  
300 L

SMX250ES

SMX350ES

SMX450ES

SMX550ES

SMX650ES

SMX750ES

SMX850ES

12" 600W

14" 600W

16" 600W

18" 600W

21" 650W

24" 750W

27" 850W

SMX250ES

SMX350ES

SMX450ES

SMX550ES

SMX650ES

SMX750ES

SMX850ES

TOP-MOUNTED  
SUPPORT BRACKETS

SIDE-MOUNTED  
SUPPORT BRACKETS

SMX BLENDER TOOL

SMX MIXER TOOL

MOBILE MIXERS • P18-19

POWER PRO XS

POWER PRO

80 GAL  
300 L

100 GAL  
400 L

POWER PRO XS

POWER PRO

NEW 2020

Official launch at NRA  
May 16-19, 2020

NATIONAL RESTAURANT ASSOCIATION  
NRA SHOW 2020  
THE INTERNATIONAL FOODSERVICE MARKETPLACE

BLENDER SERIES • P20-21

BlendPro 1T

BlendPro 1

BlendPro 2T

BlendPro 2

BlendPro1TQ Shielded blender

NEW 2020

SALAD SPINNERS • P22-23

SSB1  
Stabilizing Base

Intertek  
Certified for sanitation

HACCP  
certified

NEW 2020

SD MINI Sealed  
Cover Manual

SD99  
Manual

SD92  
Manual

SD92SC Sealed  
Cover Manual

EM98  
Electric

CITRUS  
JUICER  
P24

PA96

RICER/  
FOOD  
MILL  
P24

100 KG  
220 LBS

FOODMILL  
RICER TOOL

25 GAL  
100 L

WHISK

PP97 Ricer/Food Mill

PP97 PLUS

FM97 Whisk Tool

20.5"

22.5"

27"

DYNACUBE  
MANUAL  
DICER  
P25

DYNACUBE

N°1 MANUAL DICER  
IN THE WORLD



QUALITY, DURABILITY AND FLEXIBILITY  
AT A FRACTION OF THE COST



Variable speed

OFFERED IN 6 COLORS

MX070.11

MX070.12

MX070.13

MX070.14

MX070.15



160 mm / 6.5"



160 mm / 6.5"

MiniPro

MiniPro

Reference	MX070.1
Total length	395 mm / 15,5"
Mixer tool length	160 mm / 6,5"
Diameter	70 mm / 2,8"
Actual weight	1,1 Kg / 2,5 lbs
Shipping weight	1,5 Kg / 3,2 lbs
Output	200 W
Speed	0 to 13 000 R.P.M.

MiniPro comes with 4 blades



Emulsifying Blade - 0550

Vinaigrettes, smashed/whipped/mashed potatoes, aioli, smoothies, milkshakes, bisque and hummus.



Standard Blade - 0551

Vegetable/fruit purees, salsa, pico de gallo, pasta/pizza/bbq sauces, pesto, refried beans, gravies and dressings.



Batter Disc - 0552

Pancake, fish, crepes and cake batters.



Dairy Disc - 0553

Eggs/omelettes, mayonnaise, whipped cream and hollandaise.

MiniPro Cordless

MiniPro Cordless

Reference	MX135.1
Total length	450 mm / 17,7"
Mixer tool length	160 mm / 6,5"
Diameter	70 mm / 2,8"
Actual weight	1,1 Kg / 2,4 lbs
Shipping weight	1,9 Kg / 4,2 lbs
Output	2000 mAh - 12 Vdc
Speed	10 000 R.P.M.

MiniPro Cordless comes complete with :

2 Batteries  
1 Charger

Battery

Reference	AC585
Run-Time	20 minutes

Charger

Reference	AC590.1
Charge time	45 minutes / battery



Option variable speed



160 mm / 6.5"



MD95

Reference	MX010.1
Blade	Standard

MD95E

Reference	MX008.1
Blade	Emulsifying

Total length	445 mm / 17,5"
Mixer tool length	160 mm / 6.5"
Diameter	72 mm / 3"
Actual weight	1,2 Kg / 2,6 lbs
Shipping weight	1,5 Kg / 3,3 lbs
Output	180 W
Speed	9 500 R.P.M.

MD95 with variable speed

Reference	MX010.1.V
Speed	0 to 9 500 R.P.M.



Variable speed



190 mm / 7.5"

DynaShake


Dynashake

Reference	MX054.1
Total length	425 mm / 16,7"
Mixer tool length	190 mm / 7,5"
Diameter	95 mm / 3,8"
Actual weight	1,2 Kg / 2,7 lbs
Shipping weight	1,9 Kg / 4,2 lbs
Output	200 W
Speed	0 to 13 000 R.P.M.

DynaShake comes complete with: 1 Dynashake mixer, 1 emulsifying blade, 1 standard blade, 1 batter blade, 1 dairy blade, 1 litre graduated cup + lid




AC520 - 160 mm / 6.5"  
AC530 - 190 mm / 7.5"



AC516 - 185 mm / 7"



AC560 - 190 mm / 7.5"



AC517 - 125 mm / 5"



AC518



AC510



AC513

01 - MiniPro motor block

Reference	AC515.1
Total length	205 mm / 8"
Diameter	70 mm / 2,8"
Actual weight	1 Kg / 2,1 lbs
Shipping weight	1,3 Kg / 2,8 lbs
Output	200 W
Speed	0 to 13 000 R.P.M.

01 - MiniPro motor block  
02 - MiniPro mixer tool with standard blade  
03 - Dynashake mixer tool with standard blade  
04 - MiniPro whisk tool  
05 - MiniPro blender tool  
06 - MiniPro ricer / food mill  
07 - MiniPro food processor bowl  
08 - Dynashake graduated cup with lid  
09 - MiniPro stainless steel cup



**LIGHTWEIGHT, EFFICIENT AND DEPENDABLE FOR CONTINUAL, CONSISTENT, EVERYDAY MIXING**



Wall support included  
Ref. 089959

**Junior Standard non-detachable**

Reference	MX020.1
Total length	505 mm / 20"
Mixer tool length	225 mm / 9"
Diameter	94 mm / 4"
Actual weight	1,7 Kg / 3,7 lbs
Shipping weight	2,0 Kg / 4,4 lbs
Output	250 W
Speed	9 500 R.P.M.

**Junior Standard non-detachable with variable speed**


Reference	MX020.1.V
Speed	0 to 9 500 R.P.M.

**Junior Whisk non-detachable**

Reference	FT005.1
Total length	500 mm / 20"
Whisk length	185 mm / 7"
Diameter	94 mm / 4"
Actual weight	1,4 Kg / 3 lbs
Shipping weight	1,7 Kg / 3,7 lbs
Output	200 W
Speed	0 to 2 000 R.P.M.



Ref. 0880.1



Convenient and secure :  
Wall storage bracket for mixer and accessories included with Junior Whisk and motor block.



**01 - Junior motor block**

Reference	AC100.1
Total length	305 mm / 12"
Diameter	94 mm / 4"
Actual weight	1,9 Kg / 4 lbs
Shipping weight	2,3 Kg / 5 lbs
Output	250 W
Speed	0 to 9 500 R.P.M.

- 01 - Junior motor block
- 02 - Junior mixer tool
- 03 - Junior whisk tool
- 04 - Junior ricer / food mill
- 05 - Junior processor bowl



POWER AND VERSATILITY  
ALL IN ONE



Option  
variable  
speed

Wall support  
included  
Ref. 089959

PMX98 Standard  
non-detachable

Reference	MX007.1
Total length	600 mm / 24"
Mixer tool length	300 mm / 12"
Diameter	97 mm / 4"
Actual weight	2,4 Kg / 5,3 lbs
Shipping weight	2,9 Kg / 6,4 lbs
Output	300 W
Speed	9 500 R.P.M.

PMX98 Standard  
non-detachable  
with variable speed

Reference	MX007.1.V
Speed	0 to 9 500 R.P.M.



Ref. 0880



Convenient and secure :  
Wall storage bracket for mixer and  
accessories included with Senior motor block.



Precise alignment of  
motor block and mixer tool  
requires only a 1/4 turn to secure.



Ejectable whisks for  
easy cleaning.



AC006 - 300 mm / 12"



AC007 - 205 mm / 8"



AC056

01 - Senior  
motor block BM250

Reference	AC005.1
Total length	330 mm / 13"
Diameter	97 mm / 4"
Actual weight	2,0 Kg / 4,4 lbs
Shipping weight	3,1 Kg / 6,8 lbs
Output	300 W
Speed	0 to 9 500 R.P.M.

300 watts motor block can be used with the  
mixer tool and whisk attachment.

- 01 - Senior motor block
- 02 - Senior mixer tool M250
- 03 - Senior ricer / food mill
- 04 - Senior whisk F250
- 05 - Dynacutter bowl \*
- 06 - Serrated blade for Dynacutter

\* The complete Dynacutter bowl includes  
a 5 litre / 6 qt - bowl, cover, reducer and  
a standard blade or serrated blade.



AC004 - 420 mm / 16,5"



AC055



THE MOST ADVANCED AND  
VERSATILE SERIES IN THE INDUSTRY



Option  
variable  
speed

Wall support  
included

Ref. 0881

410 mm / 16"

**Classic**

**MX91 Classic  
non-detachable**

Reference	MX005.1
Total length	715 mm / 28"
Mixer tool length	410 mm / 16"
Diameter	110 mm / 4,5"
Actual weight	3,4 Kg / 7,5 lbs
Shipping weight	3,8 Kg / 8,4 lbs
Output	460 W
Speed	9 500 R.P.M.

**MX91 Classic  
non-detachable  
with variable speed**

Reference	MX005.1.V
Speed	0 to 9 500 R.P.M.



Emulsifying blade  
7910



Option  
variable  
speed

Wall support  
included

Ref. 0862

410 mm / 16"



**MX2000  
non-detachable**

Reference	MX004.1
Total length	720 mm / 28,5"
Mixer tool length	410 mm / 16"
Diameter	122 mm / 5"
Actual weight	3,5 Kg / 7,7 lbs
Shipping weight	4,1 Kg / 9 lbs
Output	460 W
Speed	9 500 R.P.M.

**MX2000 non-detachable  
with variable speed**

Reference	MX004.1.V
Speed	0 to 9 500 R.P.M.

**Only available for the MX2000**



Safety button



Continuous  
function auto  
run button also  
allows to mix  
continuously  
by pulse.



**SM020**  
Mixer weight support  
clamp included with  
Master motor blocks.



Variable  
speed



Ejectable whisks  
for easy  
cleaning.

245 mm / 10"

**FT97 Master Whisk  
non-detachable**

Reference	FT001.1
Total length	650 mm / 25,5"
Whisk tool length	245 mm / 10"
Diameter	110 mm / 4,5"
Actual weight	3,3 Kg / 7,3 lbs
Shipping weight	3,7 Kg / 8,1 lbs
Output	460 W
Speed	0 to 900 R.P.M.

Ref. 0880



**Convenient and secure :**  
Wall storage bracket for mixer  
and accessories included with  
Master motor blocks.



**1A Master motor  
block BM2000**

Reference	AC001.1
Output	460 W

**1B Master motor  
block BM3000**

Reference	AC001.1.A
Output	550 W

Total length	350 mm / 13,8"
Diameter	122 mm / 4,8"
Actual weight	2,7 Kg / 6,0 lbs
Speed	0 to 9 500 R.P.M.



MIXERS



WHISKS



FOODMILL  
RICER TOOL



BOWL



Variable  
speed



AC002 - 410 mm / 16"



AC500 - 457 mm / 18"



AC070 - 410 mm / 16"



AC003 - 245 mm / 10"




AC004 - 420 mm / 16,5"



AC055



AC056



**Enhanced versatility!  
Use up to 10 attachments  
with only 1 motor block.**

1A - Master motor block BM2000

1B - Master motor block BM3000

02 - Master mixer tool M90

03 - Master mixer tool M100

04 - Master blender tool

05 - Master whisk tool F90

06 - Master ricer / food mill AP90

07 - Dynacutter bowl \*

08 - Serrated blade for Dynacutter

\* The complete Dynacutter bowl includes a  
5 litre / 6 qt - bowl, cover, reducer and a standard  
blade or serrated blade.


**09 10 11 Master whip**

Reference FM1	AC202
Length FM1	420 mm / 16,5"
Reference FM2	AC200
Length FM2	600 mm / 24"
Reference FM3	AC201
Length FM3	700 mm / 28"
Speed FM1-2-3	0 to 500 R.P.M.

All stainless steel, handle support included.



SPECIAL PRODUCTION KITCHENS  
AND INTENSIVE USE




Non-detachable

Model	Reference	Total length	Actual weight	Shipping weight
SMX250ES	MX041.1ES	575 mm / 22"	5,3 Kg / 11 lbs	6,8 Kg / 15 lbs
SMX350ES	MX042.1ES	626 mm / 24"	125 mm / 5"	7 Kg / 15,4 lbs
SMX450ES	MX043.1ES	676 mm / 26"	5,7 Kg / 12,6 lbs	7,2 Kg / 16 lbs
SMX550ES	MX044.1ES	728 mm / 28"	5,9 Kg / 13 lbs	7,4 Kg / 16,3 lbs
SMX650ES	MX002.1ES	800 mm / 31,5"	6,1 Kg / 13,4 lbs	7,7 Kg / 17 lbs

Detachable (for maintenance only)

Model	Reference	Total length	Actual weight	Shipping weight
SMX750ES	MX040.1ES	870 mm / 34"	6,5 Kg / 14,3 lbs	8 Kg / 17,6 lbs
SMX850ES	MX001.1ES	950 mm / 37,5"	6,7 Kg / 14,7 lbs	8,2 Kg / 18 lbs


For all mixers: diameter 125 mm / 5" - speed 11 000 R.P.M.




SUPPORT BRACKETS  
Used for weight assist  
and swivel, never leave  
mixer unattended.



Top mounted support  
brackets



Side mounted support  
brackets



SM020



AC072T - 17"



AC075T - 24"



AC076T - 27"

01-Top mounted support brackets

	Dimension	Weight	CODE
SM4	400 mm / 16"	1,9 Kg / 4,2 lbs	SM001
SM6	600 mm / 24"	2,3 Kg / 5 lbs	SM002
SM8	800 mm / 32"	2,6 Kg / 5,7 lbs	SM003
SM10	1000 mm / 40"	2,8 Kg / 6,2 lbs	SM004
SM12	1200 mm / 48"	3,2 Kg / 7 lbs	SM005

02-Side mounted support brackets

	Weight	CODE
SA	0,7 Kg / 1,5 lbs	SM006

All brackets are easily dismantled and can be cleaned in the dishwasher. Adaptable only for Master and SMX series of mixers. Adjustable length. Practical and convenient, allows adjustable height and angle.

03-Mixer weight support clamp SM020

Mixer weight support clamp included with the Master detachable mixers, the SMX750ES and the SMX850ES.

04-SMX blender tool AC072T  
(only for SMX750ES and SMX850ES)

Total length	432 mm / 17"
Capacity	200 L

05-Mixer tool for SMX750ES AC075T

Total length	610 mm / 24"
Capacity	225 L

06-Mixer tool for SMX850ES AC076T

Total length	686 mm / 27"
Capacity	300 L





# POWER PRO XS

NEW 2020

80 GAL  
300 L



Official launch at NRA  
May 16-19, 2020



NRA SHOW 2020  
THE INTERNATIONAL FOODSERVICE MARKETPLACE



## Power Pro XS

Reference	TB120
Voltage	230 V, 3 phase, 50/60 Hz
Output	1 500 W
Speed	2 800 R.P.M.




# POWER PRO



100 GAL  
400 L



Variable speed



## Power Pro

Reference	TB002
Voltage	230 V, 3 phase, 50/60Hz
Output	2 200 W
Speed	0 to 4 000 R.P.M.




### Whisk tool

Variable speed compulsory

Reference	TB003
Speed	400 to 600 R.P.M.
Diameter	170 mm / 6,5"
Height	470 mm / 18,5"


The whisk tool is ideal for delicate recipes and provides the ultimate in mixing flexibility.



### Blender tool

Reference	TB004
Speed	2 800 to 4 000 R.P.M.
Diameter	100 mm / 3,8"
Height	90 mm / 3,5"

The blender tool is ideal for emulsifying soups and sauces.



\*See images below for texture difference.



### Mixer tool

Reference	TB012
Speed	2 800 to 4 000 R.P.M.
Diameter	280 mm / 11"
Height	160 mm / 6,5"

The mixer tool is ideal for mixing large capacity preparations like soups and sauces in less than 5 minutes.




### Potato masher tool

Variable speed compulsory

Reference	TB013
Speed	800 to 1 600 R.P.M.
Diameter	147 mm / 5,8"
Height	251 mm / 9,9"

The potato masher tool is designed for high volume purées that require 50 to 150 kg of potatoes.



### Dispenser pump

Reference	TB030 (TB004 required)
Speed	-
Diameter	178 mm / 7"
Height	90 mm / 3,5"

The pump has a 2.5 m (8'2") long rubber tube which allows for an effortless and fast transfer of food preparations. Adaptable on the blender tool only (sold separately).




### Portion control gun

Reference	TB040 (TB030 required)
Speed	-
Length	202 mm / 8"
Height	243 mm / 9,6"

The gun can be used as a complimentary tool for the transfer of food preparations in smaller containers. Adaptable on the pump attachment only (sold separately).

\*



01 - Texture obtained with mixer tool (TB012).

02 - Texture obtained with blender tool (TB004). The texture is creamy, smooth and perfect.



THE LEAST EXPENSIVE HIGH-PERFORMANCE  
COMMERCIAL BLENDERS



**BlendPro 1**  
Capacity: 1.5L

**BlendPro 2**  
Capacity: 2L

- 3HP high speed motor
- Variable speed control
- Wet and dry application
- Two in one stainless steel cutting blade
- Precision technology



**BlendPro 1T**  
Capacity: 1.5L

**BlendPro 2T**  
Capacity: 2L

- 3HP high speed motor
- State of the art electronics design
- Wet and dry application
- Two in one stainless steel cutting blade
- Precision technology

3 one-touch auto-timer settings.  
4 speed settings: high, med, low & pulse.



Model	Reference	L x W x H (inches)	Actual weight	Shipping weight
BlendPro 1	BL001.1	15.9" x 8.4" x 9.3"	8.8 LBS	9.9 LBS
BlendPro 1T	BL001.1.T	15.9" x 8.4" x 9.3"	8.8 LBS	9.9 LBS
BlendPro 2	BL002.1	13" x 9" x 11"	9.5 LBS	10.3 LBS
BlendPro 2T	BL002.1.T	13" x 9" x 11"	9.5 LBS	10.3 LBS
BlendPro 1TQ	BL001.1.TQ	15.9" x 8.4" x 9.3"	13.5 LBS	15.2 LBS

For all blenders: output 1050 W

BlendPro

NEW  
2020



**BlendPro 1TQ**  
Shielded blender  
Capacity: 1.5L

REDUCE 80% OF  
BLENDING NOISE



BL756AT - Container only.  
Capacity: 1.5L



BL756RT - Container only.  
Capacity: 2L



BL756CT - Container only.  
Capacity: 4L



BL1800 - Sound enclosure only.  
For BlendPro 1 / BlendPro 1T.



DYNAMIC, THE INVENTOR OF THE COMMERCIAL SALAD SPINNER.

NEW 2020

1.25 GAL  
5 L

SD MINI Manual salad spinner sealed cover

Reference	E007
Total height	342 mm / 13,5"
Diameter	275 mm / 10,8"
Actual weight	1,6 Kg / 3,5 lbs
Shipping weight	1,6 Kg / 3,5 lbs
Capacity	Maximum 2 heads of lettuce



2.5 GAL  
10 L

SD99 Manual salad spinner

Reference	E001
Total height	460 mm / 18"
Diameter	330 mm / 13"
Actual weight	2,4 Kg / 5,3 lbs
Shipping weight	3,1 Kg / 6,8 lbs
Capacity	Maximum 4 heads of lettuce



SD92  
Cover Lid



SD92SC  
Sealed Cover Lid



5 GAL  
20 L

SD92 Manual salad spinner

Reference	E002
Total height	530 mm / 21"
Diameter	430 mm / 17"
Actual weight	3,6 Kg / 7,9 lbs
Shipping weight	4,8 Kg / 10,5 lbs
Capacity	Maximum 8 heads of lettuce

SD92SC Manual salad spinner SEALED COVER

Reference	E004
Total height	530 mm / 21"
Diameter	430 mm / 17"
Actual weight	3,6 Kg / 7,9 lbs
Shipping weight	4,8 Kg / 10,5 lbs
Capacity	Maximum 8 heads of lettuce



WITH TIMER AND TOUCH SWITCH

5 GAL  
20 L

EM98 Electric salad spinner with stabilizing base SSB1

Reference	E003.1.B.T
Total height	630 mm / 25"
Diameter	430 mm / 17"
Actual weight	8,3 Kg / 18,3 lbs
Shipping weight	10 Kg / 22 lbs
Output	200 W
Speed	500 R.P.M.
Capacity	Maximum 8 heads of lettuce



SSB1 Stabilizing base\*

Reference	AC019
Total height	170 mm / 6,7"
Diameter	360 mm / 14,2"

\* For SD92, SD92SC and EM98







CITRUS JUICER


PERFECT FOR ALL  
YOUR JUICING NEEDS



**PA96 Citrus juicer**  
2 juicing cones included.

Reference	PA001.1
Total length	330 mm / 13"
Diameter	220 mm / 8,6"
Actual weight	6,3 Kg / 13,9 lbs
Voltage	115 V or 230 V
Output	200 W
Speed	1 500 R.P.M.

RICER/FOOD MILL



Reference	PP001.1
Total length	870 mm / 34"
Mixer tool length	520 mm / 20,5"
Diameter	170 mm / 6,8"
Actual weight	4,9 Kg / 10,7 lbs
Shipping weight	5,9 Kg / 13 lbs
Output	460 W
Speed	0 to 500 R.P.M.


Reference	PP002.1
Total length	920 mm / 36"
Mixer tool length	570 mm / 22,5"
Diameter	170 mm / 6,8"
Actual weight	4,9 Kg / 10,7 lbs
Shipping weight	5,9 Kg / 13 lbs
Output	460 W
Speed	0 to 500 R.P.M.

Reference	AC208
Total length	690 mm / 27"
Actual weight	1,5 Kg / 3,3 lbs

Comes with handle.



N°1 MANUAL DICER  
IN THE WORLD



Demo Video



Dynacube

Total height	330 mm / 13"
Diameter	400 mm / 15,8"
Actual weight	3,1 Kg / 6,8 lbs
Shipping weight	4,4 Kg / 9,7 lbs

DYNACUBE

Grid set with pusher



AC060 - 7 x 7mm /  
1/8" x 1/8"



AC062 - 10 x 10mm /  
3/8" x 3/8"



AC064 - 17 x 17mm /  
3/4" x 3/4"



AC061 - 8,5 x 8,5mm /  
1/4" x 1/4"



AC063 - 14 x 14mm /  
1/2" x 1/2"

Cutting grid sizes  
are estimates only.



Dynacube complete +  
Grid set with pusher

Dynacube complete + AC060 = CL005  
Dynacube complete + AC061 = CL003  
Dynacube complete + AC062 = CL006  
Dynacube complete + AC063 = CL008  
Dynacube complete + AC064 = CL009

MANUAL DICER ACCESSORIES



# SALES SUPPORTS MARKETING

## PACKAGING

The packaging is also part of Dynamic merchandising. Packaging is a powerful method to recognize the brand and identify the products.

## DISPLAY RACK


A practical and great way to visually display Dynamic products (please contact us for more information).



# SALES SUPPORTS OUR WEBSITE

## DISCOVER OUR PRODUCTS AND NEWS :

- Photos and videos illustrating our products,
- New product announcements,
- Complete list of sales representatives and authorized service centers.



★ [www.dynamicmixersusa.com](http://www.dynamicmixersusa.com)

🍁 [www.dynamicmixers.ca](http://www.dynamicmixers.ca)

## TERMS AND CONDITIONS

**PRICING.** All prices are subject to change without notice. Prices do not include freight, handling or delivery charges, air shipment charges or taxes (sales, excise, duties, etc.). The Purchaser shall be responsible for collecting and/or paying any and all such taxes. Such charges may, at Dynamic's sole and exclusive discretion, be prepaid by Dynamic and reimbursed by the Purchaser.

**APPLICABLE POLICIES FOR RESALE OF PRODUCTS.** All product selling prices are determined at the discretion of authorized distributors with the exception of specific products determined by Dynamic to have Minimum Advertised Pricing («MAP»). Failure to comply with our MAP Policy may affect your status as an authorized distributor. Dynamic reserves the right to take the necessary steps in maintaining our integrity with regards to our pricing.

**ORDERS.** No minimum orders required. Each order must reference Dynamic's quote (if any), the requested Products, and any other information requested by Dynamic. All orders and transactions are subject to acceptance or cancellation by Dynamic, in Dynamic's sole discretion. Each accepted order will be interpreted as a single agreement, independent of any other orders. All orders must be sent by email at [orders@dynamicmixers.com](mailto:orders@dynamicmixers.com) or by fax at 1(877)668-6623.

**SHIPPING AND DELIVERY.** Prepaid Freight qualifies at \$2800 net on individual orders shipped to one location. Prepaid Freight Product exclusions are Power Pro and Power Pro XS. Prepaid Freight Address exclusions are Hawaii, Alaska, Puerto Rico and Canada far North. Additional exclusions may apply. Orders not meeting Prepaid freight criteria are F.O.B. Memphis, TN USA or F.O.B. Montreal, QC. Canada. A fee may apply on 'Drop Ship' orders. Shipping specifics and delivery dates advised are estimates only and Dynamic is not responsible on variances. Dynamic reserves the right to refuse or cancel any order. On occasion, products contained in a single order may ship separately. Dynamic reserves the right to choose the carrier on specific orders. Freight charges are based on product weight & destination zip code or postal code. Product damage or loss incurred during shipment is the sole responsibility of the product purchaser. The purchaser must notify Dynamic regarding any product inconsistencies within 7 days of receipt of order including damages and shortages.

**RETURNS.** Returns cannot be accepted without a Return Authorization number issued by Dynamic and a return request must be submitted within seven (7) days of invoice date. Product returns must be in original packaging and unopened. Damaged and/or used Products will not be accepted. A 25% restocking charge will apply on all returns. Products deemed «Special Order» cannot be returned.

**INVOICING AND PAYMENT.** Dynamic may invoice parts of an order separately, or may invoice purchases of Products in one invoice. Invoices are due and payable within the time period noted on the Purchaser's invoice. All Products sold remain the exclusive property of Dynamic until invoice is paid in full.

**WARRANTY.** Dynamic will guarantee all new Products to be free from defects in materials and workmanship. Electric Products include a one (1) year parts and labor carry in bench warranty with the exception of component replacements necessary through regular "wear and tear". Manual Products include a one (1) year limited parts warranty. Warranty is valid, providing the Products have been used in accordance with Dynamic's operating recommendations and guidelines. Dynamic or any authorized service center will repair or replace, at Dynamic's discretion and after examination, any or all manufacturer's defective parts during the warranty period. Any damage caused by improper use, abuse, dropping, or similar accidental damage resulting in breakage will render the warranty null and void. During the warranty period, only Dynamic or one of its authorized service centers may perform evaluations or repairs to Products. Warranty will be void on any equipment which has been dismantled or tampered with during the warranty period if this has been done by unauthorized centers or personnel.

**DISCLAIMER.** Specifics contained herein with regards to Product text and/or Product images may change without notice.





**USA**

1320 ROUTE 9 #1352  
CHAMPLAIN, NY - 12919  
PHONE (800) 267-7794  
INFO@DYNAMICMIXERS.COM  
DYNAMICMIXERSUSA.COM

**CANADA**

3227 BOUL. PITFIELD  
MONTREAL, QUEBEC - H4S 1H3  
PHONE (514) 956-0127 / (800) 267-7794  
INFO@DYNAMICMIXERS.COM  
DYNAMICMIXERS.CA



[facebook.com/dynamicmixers](https://facebook.com/dynamicmixers)



[@dynamicmixers](https://instagram.com/dynamicmixers)

**A NADIA GROUP COMPANY**