



# 2026

- IMMERSION BLENDERS & ACCESSORIES
- BLENDERS
- PLANETARY MIXER
- SALAD SPINNERS
- CITRUS JUICERS
- MANUAL DICER

**DYNAMIC** continues to set the standard in professional food preparation. Driven by innovation and built on decades of expertise, we're proud to present our latest generation of equipment — including the new **BlendPro3 Series, JuicePro Series and LT7 Planetary Mixer**, along with our expanded line of **immersion blenders, salad spinners, and the world's No. 1 manual dicer** — all engineered for performance, durability, and everyday efficiency.

Trusted by foodservice professionals worldwide, **Dynamic** delivers reliable tools that drive creativity, consistency, and excellence in every kitchen.

# NEW



**EM25**  
**SPINNER**  
ELECTRIC SALAD DRYER  
E008.1



PAGE 21

**BLENDPRO3**  
HIGH PERFORMANCE BLENDER  
BL003.1



PAGE 18

PAGE 18

**BLENDPRO3SE**  
SHIELDED BLENDER  
BL003.1SE



**JUICEPRO1&2**  
ORANGE JUICERS  
JP001.1 / JP002.1

PAGE 22

PAGE 22

**LT7 MIXER**  
PM001.1



PAGE 19

**COMPLETE YOUR  
DYNAMIC LINE UP!**



#### TERMS AND CONDITIONS

**PRICING.** All prices are subject to change without notice. Prices do not include freight, handling or delivery charges, air shipment charges or taxes (sales, excise, duties, etc.). The Purchaser shall be responsible for collecting and/or paying any and all such taxes. Such charges may, at Dynamic's sole and exclusive discretion, be prepaid by Dynamic and reimbursed by the Purchaser.

**APPLICABLE POLICIES FOR RESALE OF PRODUCTS.** All product selling prices are determined at the discretion of authorized distributors with the exception of specific products determined by Dynamic to have Minimum Advertised Pricing («MAP»). Failure to comply with our MAP Policy may affect your status as an authorized distributor. Dynamic reserves the right to take the necessary steps in maintaining our integrity with regards to our pricing.

**ORDERS.** No minimum orders required. Each order must reference Dynamic's quote (if any), the requested Products, and any other information requested by Dynamic. All orders and transactions are subject to acceptance or cancellation by Dynamic, in Dynamic's sole discretion. Each accepted order will be interpreted as a single agreement, independent of any other orders. All orders must be sent by email at [orders@dynamicmixers.com](mailto:orders@dynamicmixers.com).

**SHIPPING AND DELIVERY.** Prepaid Freight qualifies at \$3000 net (excluding PowerPro) on individual orders shipped to one location. Prepaid Freight Address exclusions are Hawaii, Alaska, Puerto Rico and Canada far North. Additional exclusions may apply. Orders not meeting Prepaid freight criteria are F.O.B. Memphis, TN USA or F.O.B. Montreal, QC. Canada. A fee may apply on 'Drop Ship' orders. Shipping specifics and delivery dates advised are estimates only and Dynamic is not responsible on variances. Dynamic reserves the right to refuse or cancel any order. On occasion, products contained in a single order may ship separately. Dynamic reserves the right to choose the carrier on specific orders. Freight charges are based on product weight & destination zip code or postal code. Product damage or loss incurred during shipment is the sole responsibility of the product purchaser. The purchaser must notify Dynamic regarding any product inconsistencies within 7 days of receipt of order including damages and shortages.

**RETURNS.** Returns cannot be accepted without a Return Authorization number issued by Dynamic and a return request must be submitted within seven (7) days of invoice date. Product returns must be in original packaging and unopened. Damaged and/or used Products will not be accepted. A 25% restocking charge will apply on all returns. Products deemed «Special Order» cannot be returned.


**INVOICING AND PAYMENT.** Dynamic may invoice parts of an order separately, or may invoice purchases of Products in one invoice. Invoices are due and payable within the time period noted on the Purchaser's invoice. All Products sold remain the exclusive property of Dynamic until invoice is paid in full.

**WARRANTY.** Dynamic will guarantee all new Products to be free from defects in materials and workmanship. Electric Products include a one (1) year parts and labor carry in bench warranty with the exception of component replacements necessary through regular "wear and tear". Manual Products include a one (1) year limited parts warranty. Warranty is valid, providing the Products have been used in accordance with Dynamic's operating recommendations and guidelines. Dynamic or any authorized service center will repair or replace, at Dynamic's discretion and after examination, any or all manufacturer's defective parts during the warranty period. Any damage caused by improper use, abuse, dropping, or similar accidental damage resulting in breakage will render the warranty null and void. During the warranty period, only Dynamic or one of its authorized service centers may perform evaluations or repairs to Products. Warranty will be void on any equipment which has been dismantled or tampered with during the warranty period if this has been done by unauthorized centers or personnel.

**DISCLAIMER.** Specifics contained herein with regards to Product text and/or Product images may change without notice.

■ IMMERSION BLENDERS & ACCESSORIES	6
■ BLENDERS	18
■ PLANETARY MIXER	19
■ SALAD SPINNERS	20
■ CITRUS JUICERS	22
■ MANUAL DICER	23

**PASSION,  
COMMITMENT  
AND QUALITY  
PERSONIFIED  
SINCE 1964**




# IMMERSION BLENDERS & ACCESSORIES

## MINI SERIES



Variable speed

OFFERED IN 7 COLORS



160 mm / 6.5"

### MiniPro

Reference	MX070.1
Total length	395 mm / 15.5"
Mixer tool length	160 mm / 6.5"
Diameter	70 mm / 2.8"
Actual weight	1.1 Kg / 2.5 lbs
Shipping weight	1.5 Kg / 3.2 lbs
Output	200 W
Speed	0 to 13 000 R.P.M.



Variable speed



160 mm / 6.5"

### MiniPro Blender

Reference	MX069.1
Total length	395 mm / 15.5"
Mixer tool length	160 mm / 6.5"
Diameter	70 mm / 2.8"
Actual weight	1.1 Kg / 2.5 lbs
Shipping weight	1.5 Kg / 3.2 lbs
Output	200 W
Speed	0 to 13 000 R.P.M.



160 mm / 6.5"

### MiniPro Cordless

Reference	MX135.1
Total length	450 mm / 17.7"
Mixer tool length	160 mm / 6.5"
Diameter	70 mm / 2.8"
Actual weight	1.1 Kg / 2.4 lbs
Shipping weight	1.9 Kg / 4.2 lbs
Output	2000 mAh - 12 Vdc
Speed	10 000 R.P.M.

MiniPro Cordless comes complete with :

2 Batteries (AC585 - 20 minutes run-time)  
1 Charger (AC590.1 - 45 minutes charge time / battery)



AC590.1

AC585



Variable speed



Variable speed



160 mm / 6.5"

### MD95 / MD95E

Total length	445 mm / 17.5"
Mixer tool length	160 mm / 6.5"
Diameter	72 mm / 3"
Actual weight	1.2 Kg / 2.6 lbs
Shipping weight	1.5 Kg / 3.3 lbs
Output	180 W
Speed	9 500 R.P.M.

### MD95 with variable speed

Reference	MX010.1.V
Speed	0 to 9 500 R.P.M.

MD95 (MX010.1) with standard blade

MD95E (MX008.1) with emulsifying blade



Emulsifying 9414



Variable speed




190 mm / 7.5"


### Dynashake

Reference	MX054.1
Total length	425 mm / 16.7"
Mixer tool length	190 mm / 7.5"
Diameter	95 mm / 3.8"
Actual weight	1.2 Kg / 2.7 lbs
Shipping weight	1.9 Kg / 4.2 lbs
Output	200 W
Speed	0 to 13 000 R.P.M.

Dynashake comes complete with: 1 Dynashake mixer, 1 emulsifying blade, 1 standard blade, 1 batter blade, 1 dairy blade, 1 litre graduated cup + lid




AC520 - 160 mm / 6.5"  
AC530 - 190 mm / 7.5"



AC516 - 185 mm / 7"




AC560 - 190 mm / 7.5"



AC517 - 125 mm / 5"



AC518



AC510



AC513



SM030

### 01 - MiniPro motor block

Reference	AC515.1
Total length	205 mm / 8"
Diameter	70 mm / 2.8"
Actual weight	1 Kg / 2.1 lbs
Shipping weight	1.3 Kg / 2.8 lbs
Output	200 W
Speed	0 to 13 000 R.P.M.

02 - MiniPro mixer tool with standard blade  
03 - Dynashake mixer tool with standard blade  
04 - MiniPro whisk tool  
05 - MiniPro blender tool  
06 - MiniPro ricer / food mill  
07 - MiniPro food processor bowl  
08 - Dynashake graduated cup with lid  
09 - MiniPro stainless steel cup  
10 - MiniPro stand

# IMMERSION BLENDERS & ACCESSORIES

## JUNIOR SERIES



Option variable speed



225 mm / 9"



Variable speed



185 mm / 7"



Ref. 089959  
Wall support included

### Junior Standard non-detachable

Reference	MX020.1
Total length	505 mm / 20"
Mixer tool length	225 mm / 9"
Diameter	94 mm / 4"
Actual weight	1.7 Kg / 3.7 lbs
Shipping weight	2.0 Kg / 4.4 lbs
Output	250 W
Speed	9 500 R.P.M.

### Junior Whisk non-detachable

Reference	FT005.1
Total length	500 mm / 20"
Whisk length	185 mm / 7"
Diameter	94 mm / 4"
Actual weight	1.4 Kg / 3 lbs
Shipping weight	1.7 Kg / 3.7 lbs
Output	200 W
Speed	0 to 2 000 R.P.M.

### Junior Standard non-detachable with variable speed


Reference	MX020.1.V
Speed	0 to 9 500 R.P.M.




Ref. 0880.1 Convenient and secure :  
Wall storage bracket for mixer and accessories included with Junior Whisk and motor block.




Variable speed




AC101 - 225 mm / 9"



AC066 - 225 mm / 9"



AC102 - 185 mm / 7"



AC103 - 200 mm / 8"



AC104

### 01 - Junior motor block

Reference	AC100.1
Total length	305 mm / 12"
Diameter	94 mm / 4"
Actual weight	1.9 Kg / 4 lbs
Shipping weight	2.3 Kg / 5 lbs
Output	250 W
Speed	0 to 9 500 R.P.M.

- 01 - Junior motor block
- 02 - Junior mixer tool
- 03 - Junior blender tool
- 04 - Junior whisk tool
- 05 - Junior ricer / food mill
- 06 - Junior processor bowl

# IMMERSION BLENDERS & ACCESSORIES

## SENIOR SERIES



5 GAL.  
20 L



Option  
variable  
speed



300 mm / 12"

### PMX98 Standard non-detachable

Reference	MX007.1
Total length	600 mm / 24"
Mixer tool length	300 mm / 12"
Diameter	97 mm / 4"
Actual weight	2.4 Kg / 5.3 lbs
Shipping weight	2.9 Kg / 6.4 lbs
Output	300 W
Speed	9 500 R.P.M.

### PMX98 Standard non-detachable with variable speed

Reference	MX007.1.V
Speed	0 to 9 500 R.P.M.



Variable  
speed

### 01 - Senior motor block BM250

Included with  
Senior motor block

Reference	AC005.1
Total length	330 mm / 13"
Diameter	97 mm / 4"
Actual weight	2.0 Kg / 4.4 lbs
Shipping weight	3.1 Kg / 6.8 lbs
Output	300 W
Speed	0 to 9 500 R.P.M.




0880 Wall storage bracket  
for mixer and accessories

300 watts motor block can be used with the mixer tool and whisk attachment.

- 01 - Senior motor block
- 02 - Senior mixer tool M250
- 03 - Senior ricer / food mill
- 04 - Senior whisk F250



AC006 - 300 mm / 12"



AC004 - 420 mm / 16.5"



AC007 - 205 mm / 8"



Precise alignment of  
motor block and mixer tool  
requires only a 1/4 turn to secure.



Ejectable whisks for  
easy cleaning.



# IMMERSION BLENDERS & ACCESSORIES

## MASTER SERIES



Option variable speed



410 mm / 16"

Ref. 0881  
Wall support included

### MX91 *Classic* non-detachable

Reference	MX005.1
Total length	715 mm / 28"
Mixer tool length	410 mm / 16"
Diameter	110 mm / 4.5"
Actual weight	3.4 Kg / 7.5 lbs
Shipping weight	3.8 Kg / 8.4 lbs
Output	460 W
Speed	9 500 R.P.M.

### MX91 Classic non-detachable with variable speed

Reference	MX005.1.V
Speed	0 to 9 500 R.P.M.



Emulsifying blade 7910



Option variable speed



410 mm / 16"

Ref. 0862  
Wall support included

### MX2000 non-detachable

Reference	MX004.1
Total length	720 mm / 28.5"
Mixer tool length	410 mm / 16"
Diameter	122 mm / 5"
Actual weight	3.5 Kg / 7.7 lbs
Shipping weight	4.1 Kg / 9 lbs
Output	460 W
Speed	9 500 R.P.M.

### MX2000 non-detachable with variable speed

Reference	MX004.1.V
Speed	0 to 9 500 R.P.M.

Only available for the MX2000



Safety button



Continuous function auto run button also allows to mix continuously by pulse.



Variable speed



245 mm / 10"

### FT97 Master Whisk non-detachable

Reference	FT001.1
Total length	650 mm / 25.5"
Whisk tool length	245 mm / 10"
Diameter	110 mm / 4.5"
Actual weight	3.3 Kg / 7.3 lbs
Shipping weight	3.7 Kg / 8.1 lbs
Output	460 W
Speed	0 to 900 R.P.M.

Ejectable wisks for easy cleaning



1A  
1B



### 1A Master motor block BM2000

Reference	AC001.1
Output	460 W

### 1B Master motor block BM3000

Reference	AC001.1.A
Output	550 W

Included with Master motor blocks



SM020 Mixer weight support clamp

Total length	350 mm / 13.8"
Diameter	122 mm / 4.8"
Actual weight	2.7 Kg / 6.0 lbs
Speed	0 to 9 500 R.P.M.



0880 Wall storage bracket for mixer and accessories




Variable speed




02

AC002 - 410 mm / 16"



03

AC500 - 457 mm / 18"



04

AC070 - 410 mm / 16"



05

AC003 - 245 mm / 10"



06

AC004 - 420 mm / 16.5"

- 1A - Master motor block BM2000
- 1B - Master motor block BM3000
- 02 - Master mixer tool M90
- 03 - Master mixer tool M100
- 04 - Master blender tool
- 05 - Master whisk tool F90
- 06 - Master ricer / food mill AP90

### 09 10 11 Master whip

Reference FM1	AC202
Length FM1	420 mm / 16.5"
Reference FM2	AC200
Length FM2	600 mm / 24"
Reference FM3	AC201
Length FM3	700 mm / 28"
Speed FM1-2-3	0 to 500 R.P.M.

All stainless steel, handle support included.



# IMMERSION BLENDERS & ACCESSORIES

## SMX SERIES

For all mixers:  
Diameter 125 mm / 5"  
Speed 11 000 R.P.M.



Model	Power	Height	Capacity
SMX250ES	600W	12"	10 GAL. / 40 L
SMX350ES	600W	14"	15 GAL. / 55 L
SMX450ES	600W	16"	30 GAL. / 115 L
SMX550ES	600W	18"	40 GAL. / 150 L
SMX650ES	650W	21"	50 GAL. / 190 L
SMX750ES	750W	24"	60 GAL. / 225 L
SMX850ES	850W	27"	75 GAL. / 285 L

REFERENCE
MX041.1ES
<b>TOTAL LENGTH</b>
575 mm / 22"
<b>ACTUAL WEIGHT</b>
5.3 Kg / 11 lbs
<b>SHIPPING WEIGHT</b>
6.8 Kg / 15 lbs

REFERENCE
MX042.1ES
<b>TOTAL LENGTH</b>
626 mm / 24"
<b>ACTUAL WEIGHT</b>
5.5 Kg / 12 lbs
<b>SHIPPING WEIGHT</b>
7 Kg / 15.4 lbs


REFERENCE
MX043.1ES
<b>TOTAL LENGTH</b>
676 mm / 26"
<b>ACTUAL WEIGHT</b>
5.7 Kg / 12.6 lbs
<b>SHIPPING WEIGHT</b>
7.2 Kg / 16 lbs

REFERENCE
MX044.1ES
<b>TOTAL LENGTH</b>
728 mm / 28"
<b>ACTUAL WEIGHT</b>
5.9 Kg / 13 lbs
<b>SHIPPING WEIGHT</b>
7.4 Kg / 16.3 lbs


REFERENCE
MX002.1ES
<b>TOTAL LENGTH</b>
800 mm / 31.5"
<b>ACTUAL WEIGHT</b>
6.1 Kg / 13.4 lbs
<b>SHIPPING WEIGHT</b>
7.7 Kg / 17 lbs

REFERENCE
MX040.1ES
<b>TOTAL LENGTH</b>
870 mm / 34"
<b>ACTUAL WEIGHT</b>
6.5 Kg / 14.3 lbs
<b>SHIPPING WEIGHT</b>
8 Kg / 17.6 lbs


REFERENCE
MX001.1ES
<b>TOTAL LENGTH</b>
950 mm / 37.5"
<b>ACTUAL WEIGHT</b>
6.7 Kg / 14.7 lbs
<b>SHIPPING WEIGHT</b>
8.2 Kg / 18 lbs



01 Top mounted support brackets 02 Side mounted support brackets



03 SM020 04 AC072T - 17"



05 AC075T - 24" 06 AC076T - 27"

### 01-Top mounted support brackets

	Dimension	Weight	CODE
SM4	400 mm / 16"	1.9 Kg / 4.2 lbs	SM001
SM6	600 mm / 24"	2.3 Kg / 5 lbs	SM002
SM8	800 mm / 32"	2.6 Kg / 5.7 lbs	SM003
SM10	1000 mm / 40"	2.8 Kg / 6.2 lbs	SM004
SM12	1200 mm / 48"	3.2 Kg / 7 lbs	SM005

### 02-Side mounted support brackets

	Weight	CODE
SA	0.7 Kg / 1.5 lbs	SM006

All brackets are easily dismantled and can be cleaned in the dishwasher. Adaptable only for Master and SMX series of mixers. Adjustable length. Practical and convenient, allows adjustable height and angle.

### 03-Mixer weight support clamp SM020

Mixer weight support clamp included with the Master detachable mixers, the SMX750ES and the SMX850ES.

### 04-SMX blender tool AC072T (only for SMX750ES and SMX850ES)

<b>Total length</b>	432 mm / 17"
<b>Capacity</b>	200 L

### 05-Mixer tool for SMX750ES AC075T

<b>Total length</b>	610 mm / 24"
<b>Capacity</b>	225 L


### 06-Mixer tool for SMX850ES AC076T

<b>Total length</b>	686 mm / 27"
<b>Capacity</b>	300 L





# IMMERSION BLENDERS & ACCESSORIES

## POWER PRO MOBILE MIXER



<b>REFERENCE</b>	TB002
<b>VOLTAGE</b>	230V, 3 phase, 50/60Hz
<b>SPEED</b>	0 to 4000 R.P.M.



### Whisk tool

Variable speed compulsory

<b>Reference</b>	TB014
<b>Speed</b>	2 800 – 4 000 R.P.M.
<b>Speed 1</b>	800 R.P.M.
<b>Speed 2</b>	1 600 R.P.M.
<b>Diameter</b>	170 mm / 6.5"
<b>Height</b>	470 mm / 18.5"

The whisk tool is ideal for delicate recipes and provides the ultimate in mixing flexibility.



### Blender tool

<b>Reference</b>	TB004
<b>Speed</b>	2 800 to 4 000 R.P.M.
<b>Diameter</b>	100 mm / 3.8"
<b>Height</b>	90 mm / 3.5"

The blender tool is ideal for emulsifying soups and sauces.



### Mixer tool

<b>Reference</b>	TB012
<b>Speed</b>	2 800 – 4 000 R.P.M.
<b>Speed 1</b>	800 R.P.M.
<b>Speed 2</b>	1 600 R.P.M.
<b>Diameter</b>	280 mm / 11"
<b>Height</b>	160 mm / 6.5"

The mixer tool is ideal for mixing large preparations like soups and sauces in less than 5 minutes.



### Potato masher tool

Variable speed compulsory

<b>Reference</b>	TB013
<b>Speed 1</b>	800 R.P.M.
<b>Speed 2</b>	1 600 R.P.M.
<b>Diameter</b>	147 mm / 5.8"
<b>Height</b>	251 mm / 9.9"

The potato masher tool is designed for high volume purées that require 50 to 150 kg of potatoes.



### Foot Extension

<b>Reference</b>	TB015
<b>Speed</b>	-
<b>Diameter</b>	-
<b>Height</b>	300 mm / 12"

Allows for additional foot depth for added mixing flexibility.



### 01 Dispenser pump

<b>Reference</b>	TB030 (TB004 required)
<b>Speed</b>	-
<b>Diameter</b>	178 mm / 7"
<b>Height</b>	90 mm / 3.5"

The pump has a 2.5 m (8'2") long rubber tube which allows for an effortless and fast transfer of food preparations. Tube diameter 19mm (3/4"). Adaptable on the blender tool only (sold separately).

### 02 Portion control gun

<b>Reference</b>	TB040 (TB030 required)
<b>Speed</b>	-
<b>Length</b>	202 mm / 8"
<b>Height</b>	243 mm / 9.6"

The gun can be used as a complimentary tool for the transfer of food preparations in smaller containers. Adaptable on the pump attachment only (sold separately).

NEW

NEW



**BLENDPRO3**  
Capacity 68 Ounces (2 Liters)

Reference	BL003.1
Shipping weight	~ 10.5 lbs (4.8 kg)
Box dimensions (in)	16" X 8.5" X 9.25"
Box dimensions (cm)	41 X 22 X 24 cm
Cubic measure	1.6 ft3 / 0.05 m3
Voltage	115 V or 230 V

- 3 H.P.
- Light weight
- Front and back of the house

**BLENDPRO3SE**  
Capacity 68 Ounces (2 Liters)

Reference	BL003.1SE
Shipping weight	~ 15.5 lbs (7.03 kg)
Box dimensions (in)	10" X 10" X 19"
Box dimensions (cm)	25 X 25 X 48 cm
Cubic measure	1.9 ft3 / 0.05 m3
Voltage	115 V or 230 V

- 3 H.P.
- Light weight
- Front and back of the house
- Integrated sound enclosure with 80% noise reduction and convenient tool free removal



Container only.  
BL756DT - Capacity: 2L



Container only.  
BL756CT - Capacity: 4L



Blend-in-cup travel bottle  
BL900



Blend-in-cup cutting base  
BL110



Premium Touchscreen Interface



**LT7**  
Capacity 7 Liters / 8 Quarts

Reference	PM001.1
Shipping weight	~ 65 lbs (29.5 kg)
Box dimensions (in)	20" x 11.5" x 18"
Box dimensions (cm)	51 x 30 x 46 cm
Cubic measure	~ 2.4 ft3 / 0.07 m3
Voltage	115 V or 230 V

Includes Three Professional-Grade Attachments



Wire Whip



Flat Beater



Dough Hook

- 7L/8QT brushed stainless steel bowl w/handle
- Includes dough hook, batter beater and whip
- Removable polycarbonate safety guard
- 11 mixing speeds and 30 minute timer with 30 second increments
- Electronic touch screen with intuitive timer and speed adjustments
- Advanced drive system allowing for quiet operation
- Adjustable head lift knob for easy control
- Integrated metal housing with no exposed screws

# SALAD SPINNERS MANUAL



**SSB1 Stabilizing base\***

\* FOR SD92, SD92SC AND EM98

<b>TOTAL HEIGHT</b>
170 mm / 6.7"
<b>DIAMETER</b>
360 mm / 14.2"

E007



**SD MINI Manual salad spinner sealed cover**



<b>TOTAL HEIGHT</b>
342 mm / 13.5"
<b>DIAMETER</b>
275 mm / 10.8"
<b>ACTUAL WEIGHT</b>
1.6 Kg / 3.5 lbs
<b>SHIPPING WEIGHT</b>
1.6 Kg / 3.5 lbs

Maximum  
2 heads of lettuce

E001



**SD99 Manual salad spinner**



<b>TOTAL HEIGHT</b>
460 mm / 18"
<b>DIAMETER</b>
330 mm / 13"
<b>ACTUAL WEIGHT</b>
2.4 Kg / 5.3 lbs
<b>SHIPPING WEIGHT</b>
3.1 Kg / 6.8 lbs

Maximum  
4 heads of lettuce

E002

**SD92 Manual salad spinner**



E002.B

**SD92 Manual salad spinner with stabilizing base**



<b>TOTAL HEIGHT</b>
530 mm / 21"
<b>DIAMETER</b>
430 mm / 17"
<b>ACTUAL WEIGHT</b>
3.6 Kg / 7.9 lbs
<b>SHIPPING WEIGHT</b>
4.8 Kg / 10.5 lbs

Maximum  
8 heads of lettuce

E004

**SD92SC Manual salad spinner SEALED COVER**




E004.B

**SD92SC Manual salad spinner SEALED COVER with stabilizing base**



<b>TOTAL HEIGHT</b>
530 mm / 21"
<b>DIAMETER</b>
430 mm / 17"
<b>ACTUAL WEIGHT</b>
3.6 Kg / 7.9 lbs
<b>SHIPPING WEIGHT</b>
4.8 Kg / 10.5 lbs

Maximum  
8 heads of lettuce



**SSB1 Stabilizing base\***

\* FOR SD92, SD92SC AND EM98

<b>TOTAL HEIGHT</b>
170 mm / 6.7"
<b>DIAMETER</b>
360 mm / 14.2"



E002

**SD92 Manual salad spinner**



E004

**SD92SC Manual salad spinner SEALED COVER**



E002.B

**SD92 Manual salad spinner with stabilizing base**



<b>TOTAL HEIGHT</b>
530 mm / 21"
<b>DIAMETER</b>
430 mm / 17"
<b>ACTUAL WEIGHT</b>
3.6 Kg / 7.9 lbs
<b>SHIPPING WEIGHT</b>
4.8 Kg / 10.5 lbs

Maximum  
8 heads of lettuce



E004.B

**SD92SC Manual salad spinner SEALED COVER with stabilizing base**



<b>TOTAL HEIGHT</b>
530 mm / 21"
<b>DIAMETER</b>
430 mm / 17"
<b>ACTUAL WEIGHT</b>
3.6 Kg / 7.9 lbs
<b>SHIPPING WEIGHT</b>
4.8 Kg / 10.5 lbs

Maximum  
8 heads of lettuce

# SALAD SPINNERS ELECTRIC



**WITH 1-MINUTE TOUCH BUTTON TIMER AND COMPLETE SEALED COVER**

E006.1.B.T



**EM98 Electric salad spinner with stabilizing base SSB1**



<b>TOTAL HEIGHT</b>
630 mm / 25"
<b>DIAMETER</b>
430 mm / 17"
<b>ACTUAL WEIGHT</b>
8.3 Kg / 18.3 lbs
<b>SHIPPING WEIGHT</b>
10 Kg / 22 lbs
<b>OUTPUT</b>
200 W
<b>SPEED</b>
500 R.P.M.

**NEW**

E008.1



**EM25 Electric salad spinner**



<b>TOTAL HEIGHT</b>
460 mm / 18"
<b>DIAMETER</b>
330 mm / 13"
<b>ACTUAL WEIGHT</b>
2.4 Kg / 5.3 lbs
<b>SHIPPING WEIGHT</b>
3.1 Kg / 6.8 lbs
<b>OUTPUT</b>
200 W
<b>SPEED</b>
500 R.P.M.

# CITRUS JUICERS JUICEPRO / PA96

NEW



## JUICEPRO1

Production: up to 12 oranges per minute

Reference	JP001.1
Shipping weight	~ 65 lbs (29.5 kg)
Net weight	~ 60 lbs (27 kg)
Box dimensions (in)	15" x 18" x 32"
Box dimensions (cm)	38 x 46 x 81 cm
Cubic measure	~ 5.0 ft <sup>3</sup> / 0.14 m <sup>3</sup>
Voltage	115 V or 230 V

- Feeder capacity 3 oranges
- Orange diameter max 75mm / 3 inches approx

## JUICEPRO2

Production: up to 25 oranges per minute

Reference	JP002.1
Shipping weight	~ 85 lbs (38.5 kg)
Net weight	~ 80 lbs (36.3 kg)
Box dimensions (in)	22" x 18" x 33"
Box dimensions (cm)	56 x 46 x 84 cm
Cubic measure	~ 7.5 ft <sup>3</sup> / 0.21 m <sup>3</sup>
Voltage	115 V or 230 V

- Feeder capacity 6-7 oranges
- Orange diameter max 85mm / 3 ¼ inches approx

## PA96

Production: up to 6 oranges per minute

(depending on fruit size and operator speed)

Reference	PA001.1
Total length	330 mm / 13"
Diameter	220 mm / 8.6"
Actual weight	6.3 Kg / 13.9 lbs
Voltage	115 V or 230 V
Output	200 W
Speed	1 500 R.P.M.


- 2 juicing cones included



# MANUAL DICER DYNACUBE



Grid set with pusher.  
Cutting grid sizes are estimates only.



1

## DYNACUBE

N°1 MANUAL DICER in the world!

Total height	330 mm / 13"
Diameter	400 mm / 15.8"
Actual weight	3.1 Kg / 6.8 lbs
Shipping weight	4.4 Kg / 9.7 lbs



Demo Video

- No direct contact with blades
- 6 cutting grid sizes available
- Versatile
- 100% Product yield and consistent cuts

1 Dynacube	+	2 AC065 - 5x5mm / 3/32" x 3/32"	=	CL007
1 Dynacube	+	3 AC062 - 10x10mm / 3/8" x 3/8"	=	CL006
1 Dynacube	+	4 AC061 - 8.5x,5mm / 1/4" x 1/4"	=	CL003
1 Dynacube	+	5 AC064 - 17x17mm / 3/4" x 3/4"	=	CL009
1 Dynacube	+	6 AC063 - 14x14mm / 1/2" x 1/2"	=	CL008
1 Dynacube	+	7 AC060 - 7x7mm / 1/8" x 1/8"	=	CL005



 **DYNAMIC USA**  
1320 ROUTE 9 #1352 CHAMPLAIN, NY - 12919  
[dynamicmixersusa.com](http://dynamicmixersusa.com)

 **DYNAMIC CANADA**  
3227 BOUL. PITFIELD, MONTREAL, QUEBEC - H4S 1H3  
[dynamicmixers.ca](http://dynamicmixers.ca)

**GENERAL**  
[info@dynamicmixers.com](mailto:info@dynamicmixers.com)

**ORDERS**  
[orders@dynamicmixers.com](mailto:orders@dynamicmixers.com)

**CUSTOMER SERVICE**  
800.267.7794 / 514.956.0127



**GROUPE  
NADIA**